



OUTDOOR HOUSING FOR VIDEO PROJECTORS

Install your beamer or laser projector outdoor with no worries about dust, weather, and thefts.



Stay Update!

PROIETTA.COM[®]

30 YEARS

February 2024



PROIETTA **DESIGNS** CUSTOMIZED ENCLOSURES AND ACCESSORIES ACCORDING TO SPECIFIC REQUESTS



S. FRANCISCO - Let's Glow SF

All projectors have limited operating conditions based on a range of temperature and humidity. PROIETTA has created protection systems for outdoor implementation of 3D video mapping, water screens, and more. These devices, through a **forced-air ventilation function**, allow the use of beamers and laser projectors in outdoor environments without issues related to climatic conditions.

BUILT MATERIALS:

- fiber glass
- aluminium
- stainless steel


The PROIETTA case enclosure are all suitable for:



LASER



LANDSCAPE



PORTRAIT




STACK



MULTI
PORTRAIT

F6



PRICE LIST: 3.900,00€

(available for rental)

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

SPECIFICATIONS:

WEIGHT: 30,0 kg (66.1lbs)
CONSUMPTION:
Max consumption cooling mode: 50 W / 0,2 A
Max consumption during heating and dehumidification mode: 330 W / 1,5 A

F6 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	450 mm	17.7"
height	200 mm	7.9"
depth	360 mm	14.2"

SUITABLE FOR



LANDSCAPE




PORTRAIT




STACK



MULTI
PORTRAIT



F6-X2



PRICE LIST: 5.150,00€

(available for rental)

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

SPECIFICATIONS:

WEIGHT: 45,0 kg (99.2 lbs)
CONSUMPTION:
Max consumption cooling mode: 50 W / 0,2 A
Max consumption during heating and dehumidification mode: 330 W / 1,5 A

F6-X2 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	450 mm	17.7"
height	700 mm	27.6"
depth	360 mm	14.2"

SUITABLE FOR



LANDSCAPE




PORTRAIT



STACK





MULTI
PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F20



SPECIFICATIONS:

PRICE LIST: 6.680,00€
(available for rental)



WEIGHT: 65,0 kg (143.3 lbs)
CONSUMPTION:
Max consumption cooling mode: 210 W / 0,9 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F20 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR


	METRIC UNITS	ENGLISH UNITS
width	550 mm	21.7"
height	350 mm	13.8"
depth	670 mm	26.4"

SUITABLE FOR



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F20-X2



SPECIFICATIONS:

PRICE LIST: 8.300,00€
(available for rental)


WEIGHT: 90,0 kg (198.4 lbs)
CONSUMPTION:
Max consumption cooling mode: 210 W / 0,9 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F20-X2 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR


	METRIC UNITS	ENGLISH UNITS
width	550 mm	21.7"
height	700 mm	27.6"
depth	670 mm	26.4"

SUITABLE FOR



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F24




SPECIFICATIONS:

PRICE LIST: 8.290,00€
(available for rental)


WEIGHT: 80,0 kg (176.4 lbs)
CONSUMPTION:
Max consumption cooling mode: 210 W / 0,9 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

F24 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	650 mm	25.6"
height	300 mm	11.8"
depth	570 mm	22.4"





SUITABLE FOR



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F24-X2




SPECIFICATIONS:

PRICE LIST: 10.100,00€
(available for rental)

WEIGHT: 115,0 kg (253.5 lbs)
CONSUMPTION:
Max consumption cooling mode: 420 W / 1,84 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

F24-X2 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	650 mm	25.6"
height	650 mm	25.6"
depth	570 mm	22.4"




SUITABLE FOR



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

CONTACT US TO GET
THE DISCOUNT RESERVED TO YOU!
av@proietta.com

F32



SPECIFICATIONS:

PRICE LIST: 9.900,00€
(available for rental)

WEIGHT: 115,0 kg (253.5 lbs)
CONSUMPTION:
Max consumption cooling mode: 420 W / 1,84 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F32 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR		
	METRIC UNITS	ENGLISH UNITS
width	650 mm	25.6"
height	350 mm	13.8"
depth	850 mm	33.5"


SUITABLE FOR

LANDSCAPE

PORTRAIT


STACK

MULTI PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F32-X2



SPECIFICATIONS:

PRICE LIST: 12.100,00€
(available for rental)

WEIGHT: 165,0 kg (363.8 lbs)
CONSUMPTION:
Max consumption cooling mode: 630 W / 2,76 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F32-X2 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR		
	METRIC UNITS	ENGLISH UNITS
width	650 mm	25.6"
height	850 mm	33.5"
depth	850 mm	33.5"


SUITABLE FOR

LANDSCAPE

PORTRAIT



STACK

MULTI PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F40



SPECIFICATIONS:

WEIGHT: 170,0 kg (374.8 lbs)

CONSUMPTION:

Max consumption cooling mode: 420 W / 1,84 A


Max consumption during heating and dehumidification mode: 420 W / 1,84 A

PRICE LIST: 13.830,00€
(available for rental)

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F40 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	880 mm	34.7"
height	450 mm	17.7"
depth	1250 mm	49.2"



SUITABLE FOR



LANDSCAPE



PORTRAIT



STACK





MULTI
PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F50



SPECIFICATIONS:

WEIGHT: 215,0 kg (474.0 lbs)

CONSUMPTION:

Max consumption cooling mode: 420 W / 1,84 A


Max consumption during heating and dehumidification mode: 420 W / 1,84 A

PRICE LIST: 14.890,00€
(available for rental)

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F50 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	880 mm	34.7"
height	650 mm	25.6"
depth	1250 mm	49.2"



SUITABLE FOR



LANDSCAPE



PORTRAIT



STACK





MULTI
PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F50-X2



SPECIFICATIONS:

WEIGHT: 235,0 kg (518.1 lbs)

CONSUMPTION:

Max consumption cooling mode: 840 W / 3,68 A

Max consumption during heating and dehumidification mode: 420 W / 1,84 A

PRICE LIST: 16.800,00€

(available for rental)

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!



av@proietta.com

F50-X2 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	880 mm	34.7"
height	950 mm	37.4"
depth	1250 mm	49.2"

SUITABLE FOR



LANDSCAPE




PORTRAIT



STACK




MULTI
PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F70



SPECIFICATIONS:

WEIGHT: 215,0 kg (474.0 lbs)

CONSUMPTION:

Max consumption cooling mode: 630 W / 2,76 A

Max consumption during heating and dehumidification mode: 420 W / 1,84 A

PRICE LIST: 18.890,00€

(available for rental)

CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!



av@proietta.com

F70 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR

	METRIC UNITS	ENGLISH UNITS
width	1080 mm	42.5"
height	650 mm	25.6"
depth	1250 mm	49.2"

SUITABLE FOR



LANDSCAPE




PORTRAIT



STACK




MULTI
PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

F70-X2



PRICE LIST: 21.900,00€

SPECIFICATIONS:

WEIGHT: 250,0 kg (518.1 lbs)
CONSUMPTION:
Max consumption cooling mode: 630 W / 2,76 A
Max consumption during heating and dehumidification mode: 420 W / 1,84 A

(available for rental)
CONTACT US TO GET
THE **DISCOUNT** RESERVED TO YOU!
av@proietta.com

F70-X2 MODEL - AVAILABLE VOLUME FOR THE PROJECTOR		
	METRIC UNITS	ENGLISH UNITS
width	1080 mm	42,5"
height	950 mm	37.4"
depth	1250 mm	49.2"

SUITABLE FOR



LANDSCAPE




PORTRAIT



STACK



MULTI PORTRAIT



INCREASED VENTILATION COMPARED TO PREVIOUS VERSIONS

CUSTOMIZE YOUR CASE


any RAL colour is available on request




RAL 6011 + RAL 9005



RAL 9017



RAL 1000



RAL 5024 + RAL 9017



CUSTOMIZE YOUR CASE

FOR UST LENS

There are a lot of different Ultra Short Throw configuration on the market. That's why it's really important to know exactly the lens model you are planning to use.




WITH DIFFERENT DIMENSION

Any model can be customized to fit any size projector.



AC COOLER - SAND STORM PROTECTION

The Air Conditioning unit allows you to install beamers outdoors in very hot climates thanks to its high cooling capacity. **PROIETTA AC Cooler** reduces projector inlet temperatures assuring optimal operating conditions. Our optional AC unit also filters the air preventing damage caused by sand, dust and smog. Available for: F24, F24-X2, F32, F32-X2, F40, F50, F50-X2, F70, F70-X2.



PRICE LIST ON REQUEST

SUPPORTING POLES



SELF SUPPORTING POLE
(weights not included)


POLE WITH PLINTH
(underground)

V-POLE PRICE LIST: 4.200,00€

V-POLE-P PRICE LIST: 4.900,00€


ACCESSORIES

POLE AND WALL BRACKET



PRICE LIST ON REQUEST

MIRROR FOR THE PROJECTION ON FLOOR



PRICE RANGE:
from 400,00€ to 500,00€
depending on the model

CASE MONITORED BY PROIETTA APP



- temperature inside the case
- incoming temperature
- internal humidity
- fan operation

Each model is equipped with a Bluetooth board that allows to monitor the operating status of the protective enclosure with Android or Apple devices. As an optional feature, an Ethernet board is available that allows monitoring the operating status of the protective enclosure from a PC (remote control).




ETHERNET
remote control
ON REQUEST

STACKING FRAME



PRICE LIST ON REQUEST




PROIETTA®

www.exteriorprojector.com

www.proietta.com

av@proietta.com



Stay Update!

